

Wikiprint Book

Title: tbOVERLAP - Cross-cohort identification

Subject: HICDEP - Hicdep_1.60/TableOverlap

Version: 1

Date: 05/23/18 03:23:28

Table of Contents

| | |
|--|----------|
| tbOVERLAP - Cross-cohort identification | 3 |
| Core fields | 3 |
| QA Checks | 3 |

tbOVERLAP - Cross-cohort identification

holds information on the patient's participation in other cohorts

Core fields

Note: Fields marked **bold** form the unique identifier for a record of the table.

| Field name | Format | Description |
|--------------------------------|------------------------------------|--|
| <u>PATIENT</u> | character (or numeric if possible) | Code to identify patient (Cohort Patient ID) |
| <u>COHORT</u> | character | Code/name of the cohort |
| <u>PAT_OTH</u> | character | Unique patient identifier in other cohorts |
| <u>COH_OTH</u> | character | Name of the cohort |

Patients of an "original"-cohort who also participate in a "super"-cohort should be analysed within the "original"-cohort only. To suppress these patients from the datasets of the "super"-cohorts the identifier used in the "super"-cohort is needed. It is suggested that "original"-cohorts report id's from the "super"-cohorts, since the "super"-cohorts might not even know the other ID's. Often this information is only available at centre level.

A record should be present for each cohort that the patient is participating in (apart from it's own "original"-cohort).

QA Checks

| Table | Crosstable | Error Code | Description | Study specific | HICDEP? |
|-----------|-------------|------------|--|----------------|---------|
| AllTables | CrossTable | ATC001 | any date in database after DEATH_D in tblLTFU | | YES |
| AllTables | CrossTable | ATC002 | any date in database after DROP_D in tblLTFU | | YES |
| AllTables | CrossTable | ATC003 | any date in database before BIRTH_D in tblBAS | | YES |
| AllTables | CrossTable | ATC004 | any date in database in the future | | YES |
| AllTables | CrossTable | ATC005 | patients submitted previously who have been missed out | | YES |
| AllTables | CrossTable | ATC006 | Any fields not coded as coding lists on table definition | | YES |
| tbOVERLAP | WithinTable | OW001 | Invalid other cohort | | YES |
| tbOVERLAP | CrossTable | OC001 | PATIENT not found in tblBAS for that cohort | | YES |
| tbOVERLAP | CrossTable | OC002 | PAT_OTH not found in tblBAS for that overlapping cohort | | YES |